

**Client Information**

<i>Client Name</i>	Test Client
<i>Date of birth (age)</i>	23 March 1980 (37)

**Assessment Information**


<i>Assessment</i>	Depression Anxiety Stress Scales - Long Form (DASS-42)
<i>Date administered</i>	18 April 2017
<i>Assessor</i>	Mr Brendan OShea
<i>Time taken</i>	0 minutes 50 seconds

**Results**

	Raw Score	Percentile
Total	50	-
Depression	18	95.3
Anxiety	17	99.4
Stress	15	73.2

**Interpretive Text**

Relative to the sample population, this patient is in the:  
 -Moderate range for depression;  
 -Severe range for anxiety;  
 -Mild range for stress.



<b>Client Name</b>	Test Client
--------------------	-------------

### Scoring and Interpretation Information

The DASS is based on a dimensional rather than a categorical conception of psychological disorder. The assumption on which the DASS development was based (and which was confirmed by the research data) is that the differences between the depression, the anxiety, and the stress experienced by normal subjects and the clinically disturbed, are essentially differences of degree. The DASS therefore has no direct implications for the allocation of patients to discrete diagnostic categories postulated in classificatory systems such as the DSM and ICD. However, recommended cutoffs for conventional severity labels (normal, moderate, severe) are given in the DASS Manual.

For full interpretive information please purchase the DASS manual at <http://www2.psy.unsw.edu.au/groups/dass/order.htm>

A raw score for the three subscales and the total raw score are given as output. Additionally, for each of the three subscales percentiles based on a community sample (n = 2914) are computed.

### Client Responses

		Did not apply to me at all	Applied to me to some degree, or some of the time	Applied to me to a considerable degree, or a good part of time	Applied to me very much, or most of the time
1	I found myself getting upset by quite trivial things	0	1	2	3
2	I was aware of dryness of my mouth	0	1	2	3
3	I couldn't seem to experience any positive feeling at all	0	1	2	3
4	I experienced breathing difficulty (eg, excessively rapid breathing, breathlessness in the absence of physical exertion)	0	1	2	3
5	I just couldn't seem to get going	0	1	2	3
6	I tended to over-react to situations	0	1	2	3
7	I had a feeling of shakiness (eg, legs going to give way)	0	1	2	3
8	I found it difficult to relax	0	1	2	3
9	I found myself in situations that made me so anxious I was most relieved when they ended	0	1	2	3

<b>Client Name</b>	Test Client
--------------------	-------------

### Client Responses (cont.)

		Did not apply to me at all	Applied to me to some degree, or some of the time	Applied to me to a considerable degree, or a good part of time	Applied to me very much, or most of the time
10	I felt that I had nothing to look forward to	0	1	2	3
11	I found myself getting upset rather easily	0	1	2	3
12	I felt that I was using a lot of nervous energy	0	1	2	3
13	I felt sad and depressed	0	1	2	3
14	I found myself getting impatient when I was delayed in any way (eg, lifts, traffic lights, being kept waiting)	0	1	2	3
15	I had a feeling of faintness	0	1	2	3
16	I felt that I had lost interest in just about everything	0	1	2	3
17	I felt I wasn't worth much as a person	0	1	2	3
18	I felt that I was rather touchy	0	1	2	3
19	I perspired noticeably (eg, hands sweaty) in the absence of high temperatures or physical exertion	0	1	2	3
20	I felt scared without any good reason	0	1	2	3
21	I felt that life wasn't worthwhile	0	1	2	3
22	I found it hard to wind down	0	1	2	3
23	I had difficulty in swallowing	0	1	2	3
24	I couldn't seem to get any enjoyment out of the things I did	0	1	2	3
25	I was aware of the action of my heart in the absence of physical exertion (eg, sense of heart rate increase, heart missing a beat)	0	1	2	3

<b>Client Name</b>	Test Client
--------------------	-------------

**Client Responses (cont.)**

		Did not apply to me at all	Applied to me to some degree, or some of the time	Applied to me to a considerable degree, or a good part of time	Applied to me very much, or most of the time
26	I felt down-hearted and blue	0	1	2	3
27	I found that I was very irritable	0	1	2	3
28	I felt I was close to panic	0	1	2	3
29	I found it hard to calm down after something upset me	0	1	2	3
30	I feared that I would be "thrown" by some trivial but unfamiliar task	0	1	2	3
31	I was unable to become enthusiastic about anything	0	1	2	3
32	I found it difficult to tolerate interruptions to what I was doing	0	1	2	3
33	I was in a state of nervous tension	0	1	2	3
34	I felt I was pretty worthless	0	1	2	3
35	I was intolerant of anything that kept me from getting on with what I was doing	0	1	2	3
36	I felt terrified	0	1	2	3
37	I could see nothing in the future to be hopeful about	0	1	2	3
38	I felt that life was meaningless	0	1	2	3
39	I found myself getting agitated	0	1	2	3
40	I was worried about situations in which I might panic and make a fool of myself	0	1	2	3
41	I experienced trembling (eg, in the hands)	0	1	2	3

<b>Client Name</b>	Test Client
--------------------	-------------

<b>Client Responses (cont.)</b>					
		Did not apply to me at all	Applied to me to some degree, or some of the time	Applied to me to a considerable degree, or a good part of time	Applied to me very much, or most of the time
42	I found it difficult to work up the initiative to do things	<b>0</b>	<b>1</b>	<b>2</b>	<b>3</b>