

### Client Information

<i>Client Name</i>	Demo Client
<i>Date of birth (age)</i>	14 February 1961 (59)

### Assessment Information

<i>Assessment</i>	Yale-Brown Obsessive Compulsive Scale (Y-BOCS)
<i>Date administered</i>	3 April 2019
<i>Assessor</i>	Mr Demo Assessor
<i>Time taken</i>	0 minutes 32 seconds

### Results

	Value
Total Y-BOCS	22
Obsession Score	10
Compulsion Score	12

### Interpretive Text

Given this individual scored between 16 and 23 they are likely to have a MODERATE case of OCD
---

### Scoring and Interpretation Information

<p>Total Y-BOCS scores range from 0 to 40, with higher scores indicating greater severity of OCD symptoms. Scores on the obsession and compulsion subscales range from 0 to 20, but only the total Y-BOCS score is interpreted. Total scores can be split into five categories, based on severity of symptoms. People who have a total Y-BOCS score:</p> <p>Under 7 are likely to be subclinical,              8-15 are likely to have a mild case of OCD,              16-23 are likely to have a moderate case of OCD,              24-31 are likely to have a severe case of OCD,              32-40 are likely to have an extreme case of OCD.</p>
--

### Client Responses

1	Time spent on obsessions.
0	0 hours per day
1	0-1 hour per day
<b>2</b>	<b>1-3 hours per day</b>
3	3-8 hours per day
4	More than 8 hours per day

<b>Client Name</b>	Demo Client
--------------------	-------------

### Client Responses (cont.)

2	Interference from obsessions.
	0 None 1 Mild <b>2 <i>Definite but manageable</i></b> 3 Substantial impairment 4 Incapacitating
3	Distress from obsessions.
	0 None 1 Little <b>2 <i>Moderate but manageable</i></b> 3 Severe 4 Near constant, disabling
4	Resistance to obsessions.
	0 Always resists 1 Much resistance <b>2 <i>Some resistance</i></b> 3 Often yields 4 Completely yields
5	Control over obsessions.
	0 Complete control 1 Much control <b>2 <i>Some control</i></b> 3 Little control 4 No control
6	Time spent on compulsions.
	0 0 hour per day 1 0-1 hour per day <b>2 <i>1-3 hours per day</i></b> 3 3-8 hours per day 4 More than 8 hours per day
7	Interference from compulsions.
	0 None 1 Mild <b>2 <i>Definite but manageable</i></b> 3 Substantial impairment 4 Incapacitating

<b>Client Name</b>	Demo Client
--------------------	-------------

**Client Responses (cont.)**

8	Distress from compulsions.
	0 None 1 Little <b>2 Moderate but manageable</b> 3 Severe 4 Near constant, disabling
9	Resistance to compulsions.
	0 Always resists 1 Much resistance 2 Some resistance <b>3 Often yields</b> 4 Completely yields
10	Control over compulsions.
	0 Complete control 1 Much control 2 Some control <b>3 Little control</b> 4 No control