

Client Information

Client Name Demo

Demo Client

Date of birth (age)

16 April 1990 (30)

Assessment Information

Assessment

Depression Anxiety Stress Scales - Short Form (DASS-21)

Date administered

5 October 2020 Mr Demo Account

Assessor Time taken

1 minutes 34 seconds

Results

| | Raw Score | Percentile |
|------------|-----------|------------|
| Total | 28 | 97.3 |
| Depression | 9 | 94.5 |
| Anxiety | 9 | 99.2 |
| Stress | 10 | 89.5 |

Interpretive Text

Relative to the sample population, this patient is in the:

- -Moderate range for depression;
- -Severe range for anxiety:
- -Moderate range for stress.

Scoring and Interpretation Information

The DASS is based on a dimensional rather than a categorical conception of psychological disorder. For full interpretive information please purchase the DASS manual at

http://www2.psy.unsw.edu.au/groups/dass/order.htm

A raw score for the three subscales and the total raw score are given as output. For each of the three subscales percentiles, based on a community sample (n = 1794) are computed.

In addition, scores for each subscale are categorised into five severity ranges: normal, mild, moderate, severe and extremely severe. The severity labels are used to describe the full range of scores in the population, so 'mild' for example means that the person is above the population mean but probably still below the typical severity of someone seeking help (i.e. it does not mean a mild level of disorder).



Client Name Demo Client

| O. | ient Responses | | Applied to me to | A 1 1 | Applied to me |
|----|---|-------------------------------|----------------------------------|--|--------------------------------|
| | | Did not apply to me at all | some degree, or some of the time | Applied to me to a considerable degree, or a good part of time | very much, or most of the time |
| 1 | I found it hard to wind down | 0 | 1 | 2 | 3 |
| 2 | I was aware of dryness of my mouth | 0 | 1 | 2 | 3 |
| 3 | I couldn't seem to experience any positive feeling at all | 0 | 1 | 2 | 3 |
| 4 | I experienced breathing difficulty (eg, excessively rapid breathing, breathlessness in the absence of physical exertion) | 0 | 1 | 2 | 3 |
| 5 | I found it difficult to work up the initiative to do things | 0 | 1 | 2 | 3 |
| 6 | I tended to over-react to situations | 0 | 1 | 2 | 3 |
| 7 | I experienced trembling (eg, in the hands) | 0 | 1 | 2 | 3 |
| 8 | I felt that I was using a lot of nervous energy | 0 | 1 | 2 | 3 |
| 9 | I was worried about situations in which I might panic and make a fool of myself | 0 | 1 | 2 | 3 |
| 10 | I felt that I had nothing to look forward to | 0 | 1 | 2 | 3 |
| 11 | I found myself getting agitated | 0 | 1 | 2 | 3 |
| 12 | I found it difficult to relax | 0 | 1 | 2 | 3 |
| 13 | I felt down-hearted and blue | 0 | 1 | 2 | 3 |
| 14 | I was intolerant of anything that kept me from getting on with what I was doing | 0 | 1 | 2 | 3 |
| 15 | I felt I was close to panic | 0 | 1 | 2 | 3 |
| 16 | I was unable to become enthusiastic about anything | 0 | 1 | 2 | 3 |
| 17 | I felt I wasn't worth much as a person | 0 | 1 | 2 | 3 |
| 18 | I felt that I was rather touchy | 0 | 1 | 2 | 3 |
| 19 | I was aware of the action of my heart in the absence of physical exertion (eg,sense of heart rate increase, heart missing a beat) | 0 | 1 | 2 | 3 |
| 20 | I felt scared without any good reason | 0 | 1 | 2 | 3 |



| | Client Name | Demo Client | | | | | | | |
|--------------------------|---------------------------|-------------|----------------------------|---|--|--|--|--|--|
| Client Responses (cont.) | | | | | | | | | |
| | | | Did not apply to me at all | Applied to me to some degree, or some of the time | Applied to me to a considerable degree, or a good part of time | Applied to me very much, or most of the time | | | |
| 21 | I felt that life was mean | ingless | 0 | 1 | 2 | 3 | | | |